



AZODI
Your True Quality Testing Partner

NABL ACCREDITED LABORATORY
AS PER ISO/IEC 17025:2005



TC - 6686

AZODI LABS PVT LTD

Old no: 74, New no.24,
Five Furlong Road, Guindy,
Chennai - 600 032
Phone No.: 044 2244 0221
E-mail: info@azodilabs.com

TEST REPORT

SAMPLE NO. : ALPL/FD/2019-01/017-33	ULR No.: TC668618000000033P
Job Order No. :017	DATE: 17.01.2019

Sample Described by the Customer : Cow Milk
Name & Address of the Customer : **Maram**
No: 12, Bazaar Road,
Madipakkam Main Road, Kaiveli,
Chennai - 600100
Customer Reference : -
Sample Drawn By : Customer
Quantity of the Sample Received : 500ml X 1 No
Sample Condition When Received : Good, received in a Glass Bottle.

Sample Received on : 09.01.2019
Analysis Commenced on : 10.01.2019
Analysis Completed on : 14.01.2019

Parameters	Method	Unit	Result	Requirements as per FSSAI
Fat	FSSAI Lab Manual 1,2016, S.No: 1.3.4.2	g/100g	4.59	Not less than 3.5%
Protein	IS : 1479 (Part 2) 1961 (RA : 2013)	g/100g	3.40	-
Solid Not Fat	IS : 1479 (Part 2) 1961 (RA : 2013)	g/100g	10.64	Not less than 8.5%
Test for Starch	FSSAI Lab Manual 1,2016, S.No: 1.2.2	mg/100g	Absent	-
Urea	FSSAI Lab Manual 1,2016, S.No: 1.2.4	mg/100g	Absent	-
Neutralizers	FSSAI Lab Manual 1,2016, S.No: 1.2.13	mg/100g	Absent	-
Test for Detergent*	FSSAI Lab Manual 1,2016, S.No: 1.2.16	mg/100g	Absent	-
Glucose Dextrose	FSSAI Lab Manual 1,2016, S.No: 1.2.7	mg/100g	Absent	-
Sodium Chloride	FSSAI Lab Manual 1,2016, S.No: 1.2.8	mg/100g	Absent	-

For Azodi Labs Pvt Ltd

S. Nageshwari
Authorized Signatory

S. Nageshwari
Senior Chemist

Note: 1) The results listed herewith are only for the items tested. 2) Endorsement of test item is neither inferred nor implied. 3) The test report shall not be reproduced in part or in full without written approval from our laboratory. 4) Samples are not drawn by us unless otherwise mentioned. 5) Unless specifically requested by the customer, the test items will not be retained more than 15 days from the date of issue of the test report. 6) Perishable samples will be disposed immediately after issue of the test report. 7) Under no circumstances, lab accepts any liability for loss/damage caused by use or misuse of test report. 8) Liability is limited to proven willful negligence and will in no case be more than the invoiced amount.



AZODI

Your True Quality Testing Partner

NABL ACCREDITED LABORATORY
AS PER ISO/IEC 17025:2005



TC - 6686

AZODI LABS PVT LTD

Old no: 74, New no.24,
Five Furlong Road, Guindy,
Chennai - 600 032
Phone No.: 044 2244 0221
E-mail: info@azodilabs.com

Parameters	Method	Unit	Result	Requirements as per FSSAI
Hydrogen Peroxide	FSSAI Lab Manual 1,2016, S.No: 1.2.20	mg/100g	Absent	-
Formaldehyde	FSSAI Lab Manual 1,2016, S.No: 1.2.19	mg/100g	Absent	-
Acidity as Lactic Acid	FSSAI Lab Manual 1,2016, S.No: 9.5	g/100g	0.18	-

The parameter marked with an * are not accredited by NABL

Remarks: The sample meets the requirements as per FSSAI for milk sample with respect to the above parameter tested.

Report Prepared By: Arun

For Azodi Labs Pvt Ltd


Authorized Signatory

S. Nageshwari
Senior Chemist

.....End of Report.....

Note: 1) The results listed herewith are only for the items tested. 2) Endorsement of test item is neither inferred nor implied. 3) The test report shall not be reproduced in part or in full without written approval from our laboratory. 4) Samples are not drawn by us unless otherwise mentioned. 5) Unless specifically requested by the customer, the test items will not be retained more than 15 days from the date of issue of the test report. 6) Perishable samples will be disposed immediately after issue of the test report. 7) Under no circumstances, lab accepts any liability for loss/damage caused by use or misuse of test report. 8) Liability is limited to proven willful negligence and will in no case be more than the invoiced amount.